



From Patons Archive
1950s

PATONS TOTEM
MERINO 8 ply

Grown & made in Australia

celebrating
100
YEARS
trusted since 1923

 **Patons**

Convair Cable Jumper

Convoir Cable Jumper

Intermediate Knitting

MEASUREMENTS

	S	M	L	XL	XXL
To Fit Chest	cm 95	105	115	125	135
Actual Size (approx)	cm 100	110	120	130	140
Length	cm 65	66	67	68	69
Sleeve Length	cm 50	50	50	50	50

PATONS TOTEM MERINO 8 PLY 50g balls

Quantity					
(4431 Wild Thyme)	19	21	23	25	27

NOTE – If sleeve length is altered, yarn quantity may need to be adjusted.

Use only the yarn specified. Other yarns are likely to produce different results. Quantities are approximate as they can vary between knitters. Ensure all yarn is from the same dye lot.

NEEDLES AND EXTRAS

- 1 pair each 3.25mm (UK 10) and 4.5mm (UK 7) knitting needles, and a 3.25mm circular knitting needle (40cm long) or size needed to give correct tension.
- cable needle.
- 2 stitch-holders.
- wool needle for sewing seams.

TENSION

21 sts and 28 rows to 10cm over stocking st, using 4.5mm needles.


To work a tension square, using 4.5mm needles, cast on 30 sts.

Work 42 rows stocking st. Cast off loosely.

Check your tension carefully.

If fewer sts to 10cm use smaller needles, if more sts use larger needles.

NOTE – Jumper is worked on larger needles than usually recommended for this yarn.



SPECIAL ABBREVIATIONS

C4B = Slip next 2 sts onto cable needle and leave at back of work, K2, then K2 from cable needle.

C4F = Slip next 2 sts onto cable needle and leave at front of work, K2, then K2 from cable needle.

M1 = Make 1 stitch increase – With left-hand needle, pick up loop which lies before next st from the front and knit into back of this loop.

BACK

Using 3.25mm needles, cast on **118** (134-**142**-158-**166**) sts.

1st row – * K1, P1, rep from * to end.

Rep last row 33 times.

Change to 4.5mm needles.

BEG CABLE PATT –

Work rows 1 to 16 inclusive from graph or written instructions as follows –

1st row – K3 (0-3-0-3), P4 (3-4-3-4), * K8, P4, (K2, P4) twice, rep from * to last **15** (11-15-11-15) sts, K8, P4 (3-4-3-4), K3 (0-3-0-3).

2nd and foll alt rows – Knit all knit sts and purl all purl sts as they appear.

3rd row – K3 (0-3-0-3), P4 (3-4-3-4), * **C4B**, **C4F**, P4, (K2, P4) twice, rep from * to last **15** (11-15-11-15) sts, **C4B**, **C4F**, P4 (3-4-3-4), K3 (0-3-0-3).

5th row – As 1st row.

7th row – K3 (0-3-0-3), P4 (3-4-3-4), * **C4F**, **C4B**, P4, (K2, P4) twice, rep from * to last **15** (11-15-11-15) sts, **C4F**, **C4B**, P4 (3-4-3-4), K3 (0-3-0-3).

9th row – K3 (0-3-0-3), P4 (3-4-3-4), * (K2, P4) twice, K8, P4, rep from * to last **15** (11-15-11-15) sts, K2, P4, K2, P4 (3-4-3-4), K3 (0-3-0-3).

11th row – K3 (0-3-0-3), P4 (3-4-3-4), * (K2, P4) twice, **C4B**, **C4F**, P4, rep from * to last **15** (11-15-11-15) sts, K2, P4, K2, P4 (3-4-3-4), K3 (0-3-0-3).

13th row – As 9th row.

15th row – K3 (0-3-0-3), P4 (3-4-3-4), * (K2, P4) twice, **C4F**, **C4B**, P4, rep from * to last **15** (11-15-11-15) sts, K2, P4, K2, P4 (3-4-3-4), K3 (0-3-0-3).

16th row – As 2nd row.

Last 16 rows form cable patt.

Cont in cable patt, until Back measures 39cm from beg, working last row on wrong side.

SHAPE ARMHOLES –

NOTE – If insufficient sts to work cables when shaping, work these sts in stocking st instead. Keeping patt correct, cast off **6** (8-10-12-14) sts at beg of next 2 rows ... **106** (118-122-134-138) sts.

Dec one st at each end of next row, then in every foll alt row until **92** (98-102-108-112) sts rem. **

Work **57** (53-57-53-55) rows.

BEG SHORT ROWS TO SHAPE SHOULDERS –

NOTE – When working short row shaping and pattern specifies **turn**, proceed as follows to avoid holes in your work –

Take yarn under needle and onto other side of work, slip next st onto right-hand needle, take yarn back to original position, slip st back onto left-hand needle, then turn and proceed as instructed in pattern.

1st and 2nd rows – Patt to last **6** (8-9-10-11) sts, **turn**.

3rd and 4th rows – Patt to last **16** (18-19-20-21) sts, **turn**.

5th and 6th rows – Patt to last **26** (28-29-30-31) sts, **turn**.

7th row – Patt to end.

Cast off **28** (30-31-33-34) sts, patt **36** (38-40-42-44) including st already on needle after casting off, cast off rem **28** (30-31-33-34) sts. Leave centre **36** (38-40-42-44) sts on stitch-holder for Polo Collar.

FRONT

Work as for Back to **.

Work **33** (27-31-25-25) rows.

SHAPE NECK –

1st row – Patt **37** (40-41-44-45), turn to wrong side to divide for neck.

Cont on these **37** (40-41-44-45) sts for left side of neck.

Dec one st at neck edge in every foll alt row until **30** (32-33-35-37) sts rem, then in every foll 4th row until **28** (30-31-33-34) sts rem.

Work 2 rows.



CONTACT US

4 Lansell Street, Bendigo, VIC 3550

T +61 3 5442 4673

E enquiries@ausyarnco.com.au

A.B.N 43 006 285 169

patonsyarns.com.au  /ausyarnco  @ausyarnco

• We have made every effort to ensure that these instructions are accurate and complete.
• We cannot be responsible for variations in individual work, human error or if yarn other than the recommended Patons yarn is used.
• This publication is protected by copyright. Patons Totem Merino 8 ply is a trade mark of The Australian Yarn Company. Yarn colours shown may vary on screen or when printing this document.

BEG SHORT ROWS TO SHAPE SHOULDER –

1st row (wrong side) – Patt to last 6 (8-9-10-11) sts, **turn**.

2nd row – Patt to end.

3rd row – Patt to last 16 (18-19-20-21) sts, **turn**.

4th row – Patt to end.

Cast off loosely.

Slip next 18 (18-20-20-22) sts onto stitch-holder and leave for Polo Collar.

With right side facing, join yarn to rem 37 (40-41-44-45) sts for right side of neck and patt to end.

Dec one st at neck edge in every foll alt row until 30 (32-33-35-37) sts rem, then in every foll 4th row until 28 (30-31-33-34) sts rem.

Work 1 row.

BEG SHORT ROWS TO SHAPE SHOULDER –

1st row – Patt to last 6 (8-9-10-11) sts, **turn**.

2nd row – Patt to end.

3rd row – Patt to last 16 (18-19-20-21) sts, **turn**.

4th row – Patt to end.

Work 1 row.

Cast off loosely.

SLEEVES

Using 3.25mm needles, cast on 58 (60-62-64-66) sts.

Work 28 rows rib as for Back, inc 4 (2-0-6-4) sts evenly across last row ... 62 (62-62-70-70) sts.

Change to 4.5mm needles.

BEG CABLE PATT –

1st row – K1 (1-1-3-3), P2 (2-2-4-4), * K8, P4, (K2, P4) twice, rep from * once, K8, P2 (2-2-4-4), K1 (1-1-3-3).

2nd and foll alt rows – Knit all knit sts and purl all purl sts as they appear.

3rd row – K1 (1-1-3-3), P2 (2-2-4-4), * C4B, C4F, P4, (K2, P4) twice, rep from * once, C4B, C4F, P2 (2-2-4-4), K1 (1-1-3-3).

5th row – As 1st row.

7th row – K1 (1-1-3-3), P2 (2-2-4-4), * C4F, C4B, P4, (K2, P4) twice, rep from * once, C4F, C4B, P2 (2-2-4-4), K1 (1-1-3-3).

9th row – K1, M1, K0 (0-0-2-2), P2 (2-2-4-4), * (K2, P4) twice, K8, P4, rep from * once, K2, P4, K2, P2 (2-2-4-4), K0 (0-0-2-2), M1, K1 ... 64 (64-64-72-72) sts.

11th row – K1, (M1) 0 (0-0-0-1) times, K0 (0-0-3-3), P3 (3-3-4-4), * (K2, P4) twice, C4B, C4F, P4, rep from * once, K2, P4, K2, P3 (3-3-4-4), K0 (0-0-3-3), (M1) 0 (0-0-0-1) times, K1 ... 64 (64-64-72-74) sts.

13th row – K1, M1, K0 (0-0-3-4), P3 (3-3-4-4), * (K2, P4) twice, K8, P4, rep from * once, K2, P4, K2, P3 (3-3-4-4), K0 (0-0-3-4), M1, K1 ... 66 (66-66-74-76) sts.

15th row – K1, (M1) 0 (0-0-0-1) times, K0 (0-0-4-5), P4, * (K2, P4) twice, C4F, C4B, P4, rep from * once, (K2, P4) twice, K0 (0-0-4-5), (M1) 0 (0-0-0-1) times, K1 ... 66 (66-66-74-78) sts.

16th row – As 2nd row.

Keeping cable patt correct as placed and working extra sts into cable patt as they become available, inc one st (as before) at each end of **next** (next-next-next-3rd) row once, then in every foll 4th row until there are 74 (92-110-112-124) sts, then in every foll 6th row 13 (7-1-3-0) times ... 100 (106-112-118-124) sts. Cont without further shaping until Sleeve measures 50cm (or length desired) from beg, working last row on wrong side.

SHAPE TOP –

Keeping patt correct, cast off 3 (4-5-6-7) sts at beg of next 2 rows ... 94 (98-102-106-110) sts.

Dec one st at each end of next row, then in every foll alt row until 56 (60-62-66-64) sts rem, then in every row until 26 (26-28-28-30) sts rem.

Cast off loosely.

POLO COLLAR

Using Mattress stitch, join shoulder seams.

With right side facing, using 3.25mm **circular** needle and beg at left shoulder seam, knit up 26 (28-28-30-30) sts evenly along left side of front neck, knit across sts from front stitch-holder, knit up 26 (28-28-30-30) sts evenly along right side of front neck to shoulder seam, then knit across sts from back stitch-holder ... 106 (112-116-122-126) sts.

Join to work in rounds.


1st round – * K1, P1, rep from * to end.

Rep last round 50 times.

Cast off loosely in rib.

TO MAKE UP

NOTE – Cuffs may be sewn using a Flat seam enabling them to be turned back if desired. Using Mattress stitch, join side and sleeve seams. Placing centre of sleeve top to shoulder seam, sew in sleeves evenly. Fold Polo Collar in half to right side.



KEY – Shaded area represents stitch repeat

□ = Knit st on right side, purl st on wrong side.

◼ = Purl st on right side, knit st on wrong side.

▬ = C4F – Slip next 2 sts onto cable needle and leave at front of work, K2, then K2 from cable needle.

▬ = C4B – Slip next 2 sts onto cable needle and leave at back of work, K2, then K2 from cable needle.

NOTE 1 – When working from graph, read odd-numbered (right side) rows from right to left and even-numbered (wrong side) rows from left to right.

NOTE 2 – For each row, work size required to beg of rep, work rep number of times stated, then work rem sts as indicated for size required.



CONTACT US

4 Lansell Street, Bendigo, VIC 3550

T +61 3 5442 4673

E enquiries@ausyarnco.com.au

A.B.N 43 006 285 169

patonsyarns.com.au [f/ausyarnco](https://www.facebook.com/ausyarnco) [@ausyarnco](https://www.instagram.com/ausyarnco)


We have made every effort to ensure that these instructions are accurate and complete. We cannot be responsible for variations in individual work, human error or if yarn other than the recommended Patons yarn is used. This publication is protected by copyright. Patons Totem Merino 8 ply is a trade mark of The Australian Yarn Company. Yarn colours shown may vary on screen or when printing this document.

HOW TO CABLE


A cable is created by knitting groups of stitches out of order. A cable needle is used to hold the first group of 2 or more stitches, then the next group of stitches (usually the same number as the first group) are worked before working the stitches from the cable needle.

Check the Special Abbreviation section of your pattern.


C4F (or C4B) is the abbreviation used for a cable that is worked over a total of 4 stitches. Slip next 2 stitches onto a cable needle which are held at the front (or back) of the work while the next 2 stitches are knitted, then knit the 2 stitches in order from the cable needle.



1. Slip the next 2 sts onto a cable needle and hold them at the front (or back) of the work.




2. Knit the next 2 sts.




3. Knit the 2 sts from the cable needle.

TURNING AND WORKING SHORT ROWS

Turning part way through a row is used to make one side of the work longer than the other. e.g. the slope of a shoulder.




Slip the next stitch from the left-hand needle to the right-hand needle (this is the first stitch not being worked). Take the yarn back to its original position.



Slip the stitch back onto the left-hand needle. The unworked stitch now has the yarn wrapped around it – this is what prevents a hole.


Turn the work and continue with next row as instructed.

MATTRESS STITCH SEAM




With right sides of knitting facing up and pieces side by side, insert wool needle from wrong side, between edge stitch and next stitch in first row. Insert needle from right side between same stitches on other piece then pass needle under 2 rows bringing it up to front again. Insert wool needle down in same space that last stitch on first piece came out of, pass needle under 2 rows bringing it up to front as before. Swap from side to side always placing needle in same space that the last stitch came out of. Do not pull too tightly – the seam should be as elastic as the fabric it joins.

M1 – MAKE 1 STITCH INCREASE




To make an extra stitch, with left-hand needle, pick up loop which lies before next stitch (from the front).



Knit into back of this loop. This will twist the loop and prevent a hole from appearing in your work.

FLAT SEAM



A flat seam may be worked from either the right or the wrong side of the work. Place the 2 pieces of fabric together and stitch alternate rows, always bringing the needle up from underneath through the centre of the stitch, then in the same manner through stitch on second piece.

NOTE – Always keep seam elastic – there should be as much stretch in your seam as there is in the rest of your knitting.

CONTACT US

4 Lansell Street, Bendigo, VIC 3550

T +61 3 5442 4673

E enquiries@ausyarnco.com.au

A.B.N 43 006 285 169

patonsyarns.com.au [f/ausyarnco](https://www.facebook.com/ausyarnco) [@ausyarnco](https://www.instagram.com/ausyarnco)

We have made every effort to ensure that these instructions are accurate and complete. We cannot be responsible for variations in individual work, human error or if yarn other than the recommended Patons yarn is used.

This publication is protected by copyright. Patons Totem Merino 8 ply is a trade mark of The Australian Yarn Company. Yarn colours shown may vary on screen or when printing this document.