

# EYELET SWEATER OR CARDIGAN

■■■ Intermediate

MEASUREMENTS		XXS	XS	S	M	L	XL
To Fit Bust	cm	65	75	85	95	105	115
Actual Size	cm	79	88	96	106	115	125
Length (approx)	cm	53	54	55	56	57	58
Sleeve Length (approx)	cm	43	43	43	43	43	43

## PATONS TOTEM 8 PLY 50g balls

<b>Sweater</b>	11	12	13	14	15	16
<b>Cardigan</b>	11	12	13	14	15	16

Use only the yarn specified. Other yarns are likely to produce different results. Quantities are approximate as they can vary between knitters. Check the ball bands to ensure all yarn is from the same dye lot.

## NEEDLES AND EXTRAS

1 pair each 4.00mm (UK 8) and 3.25mm (UK 10) knitting needles or sizes needed to give correct tension.

- 2 stitch-holders for **Crew Neck Sweater**.
- 1 stitch-holder for **Vee Neck Sweater**.
- wool needle for sewing seams
- 3 stitch-holders and 10 (**10-10-11-11-11**) buttons for **Crew Neck Cardigan**.
- 2 stitch-holders and 7 buttons for **Vee Neck Cardigan**.

For abbreviations and more information on knitting techniques, please see [patonsyarns.com.au](http://patonsyarns.com.au)

## TENSION

22 sts and 30 rows to 10cm over stocking st, using 4.00mm needles.

To work a tension square, using 4.00mm needles, cast on 33 sts. Work 44 rows stocking st. Cast off loosely.

Please check your tension carefully.

If less sts use smaller needles, if more sts use bigger needles.

**NOTE** – This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a garment that is the wrong shape or size.

## CREW NECK SWEATER

### BACK

Using 3.25mm needles, cast on 89 (**99-109-119-129-139**) sts.

**1st row** – K2, \* P1, K1, rep from \* to last st, K1.

**2nd row** – K1, \* P1, K1, rep from \* to end.

Rep 1st and 2nd rows 9 times ... 20 rows rib in all.

Change to 4.00mm needles and **beg patt**.

**1st row** (right side) – Knit.

**2nd and foll alt rows** – Purl.

**3rd row** – K2, \* sl 1, K1, pssso, yfwd, K1, yfwd, K2tog, K5, rep from \* to last 7 sts, sl 1, K1, pssso, yfwd, K1, yfwd, K2tog, K2.

**5th row** – K3, \* yfwd, sl 1, K2tog, pssso, yfwd, K7, rep from \* to last 6 sts, yfwd, sl 1, K2tog, pssso, yfwd, K3.

**7th row** – As 3rd row.

**9th row** – Knit.



**11th row** – K7, \* sl 1, K1, pssso, yfwd, K1, yfwd, K2tog, K5, rep from \* to last 2 sts, K2.

**13th row** – K8, \* yfwd, sl 1, K2tog, pssso, yfwd, K7, rep from \* to last st, K1.

**15th row** – As 11th row.

**16th row** – Purl.

Rows 1 to 16 incl form patt.

Cont in patt until Back measures approx 34cm from beg, ending with an 8th or 16th patt row.

### Shape Armholes –

**NOTE** – Care must be taken when shaping in this pattern stitch. Do not work any yfwd unless you have sufficient sts to work a K2tog or sl 1, K1, pssso to compensate for it, and vice versa, however to keep pattern appearance neat, where necessary you may work half patterns at side edges and neck edges (eg. sl 1, K1, pssso, yfwd, or yfwd, K2tog). Keeping patt correct, cast off 5 (7-8-10-10-12) sts at beg of next 2 rows ... 79 (85-93-99-109-115) sts.

Dec one st at each end of every row until 73 (79-83-89-99-105) sts rem, then in every foll alt row until 69 (73-77-81-89-93) sts rem. \*\*

Cont in patt without shaping until work measures 53 (54-55-56-57-58) cm from beg, working last row on wrong side.

### Shape Shoulders –

Cast off 7 (7-7-8-9-9) sts at beg of next 4 rows, then 6 (7-8-7-8-9) sts at beg of foll 2 rows.

Leave rem 29 (31-33-35-37-39) sts on a stitch-holder.

### FRONT

Work as for Back to \*\*.

Cont in patt without shaping until work measures 8 (8-9-9-10-10) cm less than Back to beg of shoulder shaping, working last row on wrong side.

### Shape Neck –

**Next row** – Patt 27 (28-30-32-36-37), turn.

\*\*\* Cont on these 27 (28-30-32-36-37) sts.

Dec one st at neck edge in every foll alt row until 20 (21-22-23-26-27) sts rem.

Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, ending with same patt row.

### Shape Shoulder –

Cast off 7 (7-7-8-9-9) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 6 (7-8-7-8-9) sts. \*\*\*

Slip next 15 (17-17-17-17-19) sts onto stitch-holder and leave.

Join yarn to rem sts and patt to end.

Rep from \*\*\* to \*\*\*, working 1 row more before shoulder shaping.

### SLEEVES

Using 3.25mm needles, cast on 47 (49-53-53-55-57) sts.

Work 20 rows rib as for Back, inc 2 (0-6-6-4-2) sts evenly across last row ... 49 (49-59-59-59-59) sts.

Change to 4.00mm needles and **beg patt**.

Work 16 rows patt as for Back.

Cont in patt and working extra sts into patt or half patterns (see note on Back armhole shaping), inc one st at each end of next row, then in every foll 12th (8th-8th-6th-4th-4th) row until there are 55 (69-63-69-77-99) sts, then in every foll 14th (10th-10th-8th-6th-6th) row until there are 63 (71-77-83-93-101) sts.

Cont in patt without shaping until work measures approx 43cm (or length desired) from beg, ending with an 8th or 16th patt row.

### Shape Top –

Keeping patt correct, cast off 3 (4-4-5-5-6) sts at beg of next 2 rows ... 57 (63-69-73-83-89) sts.

Dec one st at each end of next row, then in every foll alt row until 17 (21-29-33-47-55) sts rem, then in every row until 15 (15-15-15-17-17) sts rem.

Cast off.

### NECKBAND

Using wool needle and mattress st seam, join right shoulder seam. With right side facing and using 3.25mm needles, knit up 24 (24-28-28-30-30) sts evenly along left side of neck, knit across sts from front stitch-holder, knit up 24 (24-28-28-30-30) sts evenly along right side of neck, then knit across sts from back stitch-holder – inc one st in centre ... 93 (97-107-109-115-119) sts.

Work 11 rows rib as for Back, beg with a 2nd row.

Cast off loosely in rib.

### TO MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using wool needle and mattress st seam, join left shoulder and neckband seam. Join side and sleeve seams. Sew in sleeves. Using wool needle, sew in all ends. Press seams.

### VEE NECK SWEATER

#### BACK AND SLEEVES

Work as for Back and Sleeves of **Crew Neck Sweater**.

#### FRONT

Work as for Back of **Crew Neck Sweater** to \*\*.

Work 1 row patt.

#### Divide for Vee Neck –

**Next row** – Patt 34 (36-38-40-44-46), turn.

\*\*\* Cont on these 34 (36-38-40-44-46) sts.

Dec one st at neck edge in every foll alt row until 25 (25-26-26-29-29) sts rem, then in every foll 4th row until 20 (21-22-23-26-27) sts rem.

Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, ending with same patt row.

#### Shape Shoulder –

Cast off 7 (7-7-8-9-9) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 6 (7-8-7-8-9) sts. \*\*\*

Slip next st (centre st) onto a coloured thread and leave.

Join yarn to rem sts and patt to end.

Rep from \*\*\* to \*\*\*, working 1 row more before shoulder shaping.

### NECKBAND

Using wool needle and mattress st seam, join right shoulder seam. With right side facing and using 3.25mm needles, knit up 48 (48-50-50-52-52) sts evenly along left side of neck, K1 (centre st) from coloured thread, knit up 48 (48-50-50-52-52) sts evenly along right side of neck, then knit across sts from back stitch-holder ... 126 (128-134-136-142-144) sts.

**1st row** – \* K1, P1, rep from \* to end.

**2nd row** – Rib to within 2 sts of centre st, ybk, sl 1, K1, pssso, K1 (centre st), K2tog, rib to end.

**3rd row** – Rib to within 2 sts of centre st, K2tog, P1, K2tog tbl, rib to end.

Rep 2nd and 3rd rows 4 times ... 11 rows rib in all.

Cast off loosely in rib.

### TO MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using wool needle and mattress st seam, join left shoulder and neckband seam. Join side and sleeve seams. Sew in sleeves. Using wool needle, sew in all ends. Press seams.

## CREW NECK CARDIGAN

### BACK AND SLEEVES

Work as for Back and Sleeves of **Crew Neck Sweater**.

#### LEFT FRONT

Using 3.25mm needles, cast on 51 (**59-61-69-71-79**) sts.

Work 19 rows rib as for Back.

**20th row** – Rib 9, leave these 9 sts on a stitch-holder for Left Front Band, rib to end, dec one st in centre ... 41 (**49-51-59-61-69**) sts.

Change to 4.00mm needles and **beg patt**.

**1st row** (right side) – Knit.

**2nd and foll alt rows** – Purl.

**3rd row** – K2, \* sl 1, K1, pssso, yfwd, K1, yfwd, K2tog, K5, rep from \* to last 9 (**7-9-7-9-7**) sts, sl 1, K1, pssso, yfwd, K1, yfwd, K2tog, K4 (**2-4-2-4-2**).

**5th row** – K3, \* yfwd, sl 1, K2tog, pssso, yfwd, K7, rep from \* to last 8 (**6-8-6-8-6**) sts, yfwd, sl 1, K2tog, pssso, yfwd, K5 (**3-5-3-5-3**).

**7th row** – As 3rd row.

**9th row** – Knit.

**11th row** – K7, \* sl 1, K1, pssso, yfwd, K1, yfwd, K2tog, K5, rep from \* to last 4 (**2-4-2-4-2**) sts, K4 (**2-4-2-4-2**).

**13th row** – K8, \* yfwd, sl 1, K2tog, pssso, yfwd, K7, rep from \* to last 3 (**1-3-1-3-1**) st/s, K3 (**1-3-1-3-1**).

**15th row** – As 11th row.

**16th row** – Purl.

Rows 1 to 16 incl form patt.

Cont in patt until work measures same as Back to beg of armhole shaping, ending with same patt row. \*\*

#### Shape Armhole –

Keeping patt correct, cast off 5 (**7-8-10-10-12**) sts at beg of next row ... 36 (**42-43-49-51-57**) sts.

Work 1 row patt.

Dec one st at armhole edge in every row until 33 (**39-38-44-46-52**) sts rem, then in every foll alt row until 31 (**36-35-40-41-46**) sts rem.

Cont in patt without shaping until Left Front measures 6 (**6-7-7-8-8**) cm **less** than Back to beg of shoulder shaping, working last row on right side.

#### Shape Neck –

**Next row** – Cast off 7 (**8-7-8-8-9**) sts, patt to end ... 24 (**28-28-32-33-37**) sts.

Dec one st at neck edge in next row, then in every foll alt (**every-alt-every-alt-every**) row until 20 (**21-22-23-26-27**) sts rem.

Cont in patt without shaping until Left Front measures same as Back to beg of shoulder shaping, ending with same patt row.

#### Shape Shoulder –

Cast off 7 (**7-7-8-9-9**) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 6 (**7-8-7-8-9**) sts.

#### RIGHT FRONT

Using 3.25mm needles, cast on 51 (**59-61-69-71-79**) sts.

Work 4 rows rib as for Back.

**5th row** – Rib 4, cast off 2 sts, rib to end.

**6th row** – Rib to last 4 sts, **turn**, cast on 2 sts, **turn**, rib 3 ... buttonhole.

Work 13 rows rib.

**20th row** – Rib to last 9 sts, dec one st in centre, **turn**, leave rem 9 sts on a stitch-holder for Right Front Band ... 41 (**49-51-59-61-69**) sts.

Change to 4.00mm needles and **beg patt**.

**1st row** (right side) – Knit.

**2nd and foll alt rows** – Purl.

**3rd row** – K4 (**2-4-2-4-2**), \* sl 1, K1, pssso, yfwd, K1, yfwd, K2tog, K5, rep from \* to last 7 sts, sl 1, K1, pssso, yfwd, K1, yfwd, K2tog, K2.

**5th row** – K5 (**3-5-3-5-3**), \* yfwd, sl 1, K2tog, pssso, yfwd, K7, rep from \* to last 6 sts, yfwd, sl 1, K2tog, pssso, yfwd, K3.

**7th row** – As 3rd row.

**9th row** – Knit.

**11th row** – K4 (**2-4-2-4-2**), \* K5, sl 1, K1, pssso, yfwd, K1, yfwd, K2tog, rep from \* to last 7 sts, K7.

**13th row** – K3 (**1-3-1-3-1**), \* K7, yfwd, sl 1, K2tog, pssso, yfwd, rep from \* to last 8 sts, K8.

**15th row** – As 11th row.

**16th row** – Purl.

Rows 1 to 16 incl form patt.

Cont in patt until Right Front measures same as Back to beg of armhole shaping, ending with same patt row.

Work 1 row patt. \*\*\*

#### Shape Armhole –

Keeping patt correct, cast off 5 (**7-8-10-10-12**) sts at beg of next row ... 36 (**42-43-49-51-57**) sts.

Dec one st at armhole edge in every row until 33 (**39-38-44-46-52**) sts rem, then in every foll alt row until 31 (**36-35-40-41-46**) sts rem.

Cont in patt without shaping until Right Front measures 6 (**6-7-7-8-8**) cm **less** than Back to beg of shoulder shaping, working last row on wrong side.

#### Shape Neck –

**Next row** – Cast off 7 (**8-7-8-8-9**) sts, patt to end ... 24 (**28-28-32-33-37**) sts.

Work 1 row patt.

Dec one st at neck edge in next row, then in every foll alt (**every-alt-every-alt-every**) row until 20 (**21-22-23-26-27**) sts rem.

Cont in patt without shaping until Right Front measures same as Back to beg of shoulder shaping, ending with same patt row.

Work 1 row patt.

#### Shape Shoulder –

Cast off 7 (**7-7-8-9-9**) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 6 (**7-8-7-8-9**) sts.

#### LEFT FRONT BAND

With right side facing and using 3.25mm needles, rib across sts from Left Front stitch-holder.

Work 137 (**137-137-153-153-153**) rows rib.

Break off yarn. Leave sts on a stitch-holder.

#### RIGHT FRONT BAND

With wrong side facing and using 3.25mm needles, rib across sts from Right Front stitch-holder.

**Next row** – Rib 4, cast off 2 sts, rib 3.

**Next row** – Rib 3, **turn**, cast on 2 sts, **turn**, rib 4 ... buttonhole.

Work 16 rows rib.

Rep last 18 rows 6 (**6-6-7-7-7**) times, then buttonhole rows once ... 9 (**9-9-10-10-10**) buttonholes.

Work 11 rows rib.

Do not break off yarn. Leave sts on needle.

## NECKBAND

Using wool needle and mattress st seam, join shoulder seams. With right side facing and holding 3.25mm needle with Right Front Band sts, knit up 26 (**26-30-30-32-34**) sts evenly along right side of neck, knit across sts from back stitch-holder, knit up 26 (**26-30-30-32-34**) sts evenly along left side of neck, then rib across sts from Left Front Band stitch-holder ... 99 (**101-111-113-119-125**) sts.

Work 11 rows rib, working a buttonhole (as before) in 6th and 7th rows ... 10 (**10-10-11-11-11**) buttonholes in all.

Cast off loosely in rib.

## TO MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using wool needle and mattress st seam, join side and sleeve seams. Sew in sleeves. Using wool needle and a flat seam, sew front bands in position. Sew on buttons. Using wool needle, sew in all ends. Press seams.

## VEE NECK CARDIGAN

### BACK AND SLEEVES

Work as for Back and Sleeves of **Crew Neck Sweater**, noting to cast off rem sts at back neck instead of leaving on a stitch-holder.

### LEFT FRONT

Work as for Left Front of **Crew Neck Cardigan** to \*\*.

#### Shape Armhole and Front Slope –

Keeping patt correct, cast off 5 (**7-8-10-10-12**) sts at beg of next row ... 36 (**42-43-49-51-57**) sts.

Work 1 row patt.

Dec one st at armhole edge in every row 3 (**3-5-5-5-5**) times, then in every foll alt row 2 (**3-3-4-5-6**) times, AT SAME TIME dec one st at front edge in next row, then in every foll 4th (**alt-4th-alt-4th-alt**) row 7 (**4-10-5-13-6**) times, then in every foll 6th (**4th-6th-4th-6th-4th**) row until 20 (**21-22-23-26-27**) sts rem.

Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, ending with same patt row.

#### Shape Shoulder –

Cast off 7 (**7-7-8-9-9**) sts at beg of next row and foll alt row.

Work 1 row.

Cast off rem 6 (**7-8-7-8-9**) sts.

## RIGHT FRONT

Work as for Right Front of **Crew Neck Cardigan** to \*\*\*.

#### Shape Armhole and Front Slope –

Keeping patt correct, cast off 5 (**7-8-10-10-12**) sts at beg of next row ... 36 (**42-43-49-51-57**) sts.

Dec one st at armhole edge in every row 3 (**3-5-5-5-5**) times, then in every foll alt row 2 (**3-3-4-5-6**) times, AT SAME TIME dec one st at front edge in next row, then in every foll 4th (**alt-4th-alt-4th-alt**) row 7 (**4-10-5-13-6**) times, then in every foll 6th (**4th-6th-4th-6th-4th**) row until 20 (**21-22-23-26-27**) sts rem.

Cont in patt without shaping until Right Front measures same as Back to beg of shoulder shaping, ending with same patt row. Work 1 row patt.

#### Shape Shoulder –

Cast off 7 (**7-7-8-9-9**) sts at beg of next row and foll alt row.

Work 1 row. Cast off rem 6 (**7-8-7-8-9**) sts.

## RIGHT FRONT BAND

Using wool needle and mattress st seam, join shoulder seams. With wrong side facing and using 3.25mm needles, rib across sts from Right Front stitch-holder.

**Next row** – Rib 4, cast off 2 sts, rib 3.

**Next row** – Rib 3, **turn**, cast on 2 sts, **turn**, rib 4 ... buttonhole. Work 16 rows rib.

Rep last 18 rows 4 times, then buttonhole rows once ...

7 buttonholes in all.

Cont in rib without further buttonholes until band fits (slightly stretched) evenly along right front edge and across half of back neck, working last row on wrong side. Cast off in rib.

## LEFT FRONT BAND

With right side facing and using 3.25mm needles, rib across sts from Left Front stitch-holder.

Cont in rib until band fits (slightly stretched) evenly along left front edge and across half of back neck, working last row on wrong side. Cast off in rib.

## TO MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using wool needle and mattress st seam, join side and sleeve seams. Sew in sleeves. Using wool needle and a flat seam, sew front bands in position. Join cast off edges of front bands together at centre back neck. Sew on buttons. Using wool needle, sew in all ends. Press seams.

 **Patons**

Level 7  
409 St Kilda Road  
MELBOURNE VICTORIA 3004  
A.B.N 85 055 366 590

**T** +61 3 9380 3888 **F** +61 3 9820 0989

[patonsyarns.com.au](http://patonsyarns.com.au)  /auspinner

We have made every effort to ensure that these instructions are accurate and complete. We cannot be responsible for variations in individual work, human error or if yarn other than the recommended Patons yarn is used. This publication is protected by copyright. Patons Totem 8 ply is a trade mark of Australian Country Spinners Pty Ltd. Yarn colours shown may vary slightly due to the printing process.

### Assistline

(Melbourne, Australia.)

+61 3 9380 3888

### Toll Free

(Within Australia:

Outside Melbourne.)

1800 333 642